

Océ Options OPVYNLPS

OUTDOOR MATTE VINYL WITH PSA AQUEOUS INKJET MEDIA



PRODUCT DESCRIPTION

A 3.5 mil water-resistant, matte calendered vinyl with PSA. Whether you are creating a short term outdoor sign, or a long term indoor banner, Océ Options™ OPVYNLPS is the perfect choice. Specially designed for use with dye and pigment inks, Océ Options OPVYNLPS can be used with or without lamination.

SPECIFICATIONS

PHYSICAL PROPERTIES*

- Caliper - 3.5 mil (liner 7.5 mil)
- Adhesive: .5 mil PSA - (Permanent Solvent Based Acrylic)
- Opacity - Minimum 90%
- Peel strength: 3 lbs/in

* Target Values

FEATURES

- Economical
- Excellent lamination properties
- Acid free
- Can be used outdoors with or without lamination

RECOMMENDED STORAGE CONDITIONS AND SHELF LIFE

- Store in clean, dry area away from direct sunlight
- Temperature 68°-77°F. (20°-25°C). Relative Humidity 45-55%.
- Repack opened rolls when not in use
- Six months at conditions noted above

- Allow material to stabilize to room conditions 24 hours before use.

ENVIRONMENTAL, HEALTH & SAFETY

- No Material Safety Data Sheet required.
- Waste not suited for recycling.

MAIN APPLICATIONS

- Indoor banners
- Retail signage

PRINTER/INK COMPATIBILITY

Océ Options OPVYNLPS is recommended for use with dye and pigment inks in most of today's inkjet printers. For a complete compatibility chart on our website go to:

www.csa.canon.com

PRINT LONGEVITY

- Outdoor life expectancy without noticeable fading - 4 months
- Indoor life expectancy without noticeable fading - 6 months

**Based on accelerated age testing. Actual results may vary based on use.*

SOFTWARE SETTINGS

When using this material with pigment based inks utilize the UCR (Under Color Removal) technique that replaces composite black (CMY) with the appropriate amount of black ink. To optimize print quality, printers should be set for the highest print quality and media selection should be "heavy coated". Ink coverage up to 350% is recommended.

FINISHING RECOMMENDATIONS

Océ Options OPVYNLPS can be overlaminated with both thermal (max. 185°F.) and pressure sensitive laminates, for additional scratch resistance and moisture protection when needed. Make sure that prints are completely dry prior to laminating.



Océ Options display graphics printing inkjet media supplies

This information is presented as a general guide and is not a performance guarantee. The user should independently determine prior to use the suitability of the material for its intended application.

SELECTED AVAILABLE ROLL SIZES

ITEM NUMBER	WIDTH X LENGTH	QUANTITY PER CARTON	CORE
OPVYNLPS00	24" x 10'	1 Sample Roll	2"
OPVYNLPS01	36" x 60'	1 Roll	2"
OPVYNLPS02	42" x 60'	1 Roll	2"
OPVYNLPS03	50" x 60'	1 Roll	2"
OPVYNLPS04	60" x 60'	1 Roll	2"



Creating global leadership in printing

Canon and Océ join forces to create the global leader in the printing industry. For our customers this combines Canon and Océ technology with the support of the Océ direct sales and service organizations. Look to the new Canon-Océ combination for:

- Enterprise printing in the office and corporate printroom
- Large format printing of technical documentation, signage and display graphics
- Production printing for marketing service bureaus and graphic arts
- Business services for document process outsourcing

For information and services, visit us at:

www.csa.canon.com

Canon

CANON SOLUTIONS AMERICA

Large Format Solutions

Imaging Supplies
1800 Bruning Drive West
Itasca, Illinois 60143-1093

1-800-323-4827 | Fax 1-800-351-0085
email: ocesuppliesoc@csa.canon.com